EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	2	HOLLATZ-MICHAEL.in.	US- PGPUB; USPAT	OR	OFF	2009/06/05 09:46
L2	23	"370".clas. AND (voip SAME priorit\$3 SAME voice SAME data SAME (divid\$3 OR fragment\$5 OR segment \$5))	US- PGPUB; USPAT	OR	ON	2009/06/05 09:58
L3	228	"370".clas. AND (priorit \$3 SAME voice SAME data SAME (divid\$3 OR fragment \$5 OR segment\$5))	US- PGPUB; USPAT	OR	ON	2009/06/05 09:58
L4	2	"370".clas. AND (schedul \$3 WITH priorit\$3 WITH voice WITH data WITH (divid\$3 OR fragment\$5 OR segment\$5))	US- PGPUB; USPAT	OR	ON	2009/06/05 09:58
L5	28	"370".clas. AND (schedul \$3 SAME priorit\$3 SAME voice SAME data SAME (divid\$3 OR fragment\$5 OR segment\$5))	US- PGPUB; USPAT	OR	ON	2009/06/05 09:58
L6	38	"370".clas. AND (schedul \$3 WITH priorit\$3 WITH voice WITH data)	US- PGPUB; USPAT	OR	ON	2009/06/05 09:58
L7	25	"370".clas. AND (priorit \$3 WITH voice WITH data WITH (divid\$3 OR fragment \$5 OR segment\$5))	US- PGPUB; USPAT	OR	ON	2009/06/05 09:59
L8	298	"370".clas. AND (schedul \$3 SAME priorit\$ SAME voice SAME data)	US- PGPUB; USPAT	OR	ON	2009/06/05 09:59
L9	306	"370".clas. AND ((voip) AND (voice SAME data SAME priorit\$) AND (data WITH (fragment\$5 OR divid\$ OR segment\$5)))	US- PGPUB; USPAT	OR	ON	2009/06/05 09:59
L11	191	"370".clas. AND (voip WITH (phone OR telephone) WITH voice WITH data WITH device)	US- PGPUB; USPAT	OR	ON	2009/06/05 09:59
L12	125	"370".clas. AND (user WITH select\$3 WITH priorit \$ WITH level)	US- PGPUB; USPAT	OR	ON	2009/06/05 09:59
L13	22	user WITH select\$3 WITH priorit\$ WITH level WITH packets	US- PGPUB; USPAT	OR	ON	2009/06/05 10:00
L14	141	user WITH select\$3 WITH priorit\$ WITH packets	US- PGPUB; USPAT	OR	ON	2009/06/05 10:00

L15	45	user WITH select\$3 WITH	US-	OR	ON	2009/06/05
ПТЭ	45	priorit\$ WITH voice SAME data	PGPUB; USPAT	OR	ON	10:00
L16	37	"370".clas. AND (user WITH (choos\$3 OR chos\$3) WITH priorit\$ WITH level)	US- PGPUB; USPAT	OR	ON	2009/06/05 10:00
L17	14	user WITH (choos\$3 OR chos \$3) WITH priorit\$ WITH level WITH packets	US- PGPUB; USPAT	OR	ON	2009/06/05 10:00
L18	26	user WITH (choos\$3 OR chos \$3) WITH priorit\$ WITH packets	US- PGPUB; USPAT	OR	ON	2009/06/05 10:00
L19	14	user WITH (choos\$3 OR chos \$3) WITH priorit\$ WITH voice SAME data	US- PGPUB; USPAT	OR	ON	2009/06/05 10:00
L20	40	"370".clas. AND (subscriber WITH (select \$3 OR choos\$3 OR chos\$3) WITH priorit\$ WITH level)	US- PGPUB; USPAT	OR	ON	2009/06/05 10:00
L21	21	subscriber WITH (select\$3 OR choos\$3 OR chos\$3) WITH priorit\$ WITH level WITH packets	US- PGPUB; USPAT	OR	ON	2009/06/05 10:00
L22	36	subscriber WITH (select\$3 OR choos\$3 OR chos\$3) WITH priorit\$ WITH packets	US- PGPUB; USPAT	OR	ON	2009/06/05 10:00
L23	11	subscriber WITH (select\$3 OR choos\$3 OR chos\$3) WITH priorit\$ WITH voice SAME data	US- PGPUB; USPAT	OR	ON	2009/06/05 10:01
L24	8	(user OR subscriber) WITH (select\$3 OR choos\$3 OR chos\$3) WITH priorit\$ WITH voice SAME data WITH packet	US- PGPUB; USPAT	OR	ON	2009/06/05 10:01
L25	5	(user OR subscriber) WITH (select\$3 OR choos\$3 OR chos\$3) WITH priorit\$ WITH voice WITH data WITH packet	US- PGPUB; USPAT	OR	ON	2009/06/05 10:01
L26	10	((user OR subscriber) WITH (select\$3 OR choos\$3 OR chos\$3) WITH priorit\$ WITH packet) SAME (voice WITH data)	US- PGPUB; USPAT	OR	ON	2009/06/05 10:01
L27	72	((user OR subscriber) WITH (select\$3 OR choos\$3 OR chos\$3) WITH priorit\$ WITH packet) AND (voice WITH data)	US- PGPUB; USPAT	OR	ON	2009/06/05 10:01
L28	0	(assign\$5 ADJ2 different ADJ2 priority ADJ5 different ADJ2 devices)	US- PGPUB; USPAT	OR	ON	2009/06/05 10:02
L29	14	(different ADJ2 priority ADJ5 different ADJ2 devices)	US- PGPUB; USPAT	OR	ON	2009/06/05 10:02

L30	0	(different ADJ2 priority	US-	OR	ON	2009/06/05
ГЭ0	O	ADJ5 each ADJ2 devices)	PGPUB; USPAT	OK	ON	10:02
L31	0	"370".clas. AND (different ADJ2 priority ADJ2 each)	US- PGPUB; USPAT	OR	ON	2009/06/05 10:02
L32	0	"370".clas. AND (different ADJ2 priority ADJ2 "each")	US- PGPUB; USPAT	OR	ON	2009/06/05 10:02
L33	0	(different ADJ2 priority ADJ2 "each")	US- PGPUB; USPAT	OR	ON	2009/06/05 10:02
L34	14	(different ADJ2 priority ADJ2 computer)	US- PGPUB; USPAT	OR	ON	2009/06/05 10:02
S1	1	"20030123430".pn.	US- PGPUB; USPAT	OR	OFF	2007/10/11 18:19
S2	1	370/352.ccls. AND (vopn)	US- PGPUB; USPAT	OR	ON	2005/06/23 12:50
S3	2	"370".clas. AND (vopn)	US- PGPUB; USPAT	OR	ON	2005/06/23 12:48
S9	10	"370".clas. AND (voip SAME priorit\$3 SAME voice SAME data SAME (divid\$3 OR fragment\$5 OR segment \$5))	US- PGPUB; USPAT	OR	ON	2005/06/23 13:35
S10	1	"6707821".pn.	US- PGPUB; USPAT	OR	ON	2005/06/23 12:51
S11	5	("5121385" "6236672" "6393000" "6477176"). PN. OR ("6707821").URPN.	US- PGPUB; USPAT; USOCR	OR	OFF	2005/06/23 13:30
S12	137	"370".clas. AND (priorit \$3 SAME voice SAME data SAME (divid\$3 OR fragment \$5 OR segment\$5))	US- PGPUB; USPAT	OR	ON	2005/06/23 14:17
S13	1	"370".clas. AND (schedul \$3 WITH priorit\$3 WITH voice WITH data WITH (divid\$3 OR fragment\$5 OR segment\$5))	US- PGPUB; USPAT	OR	ON	2005/06/23 14:10
S14	12	"370".clas. AND (schedul \$3 SAME priorit\$3 SAME voice SAME data SAME (divid\$3 OR fragment\$5 OR segment\$5))	US- PGPUB; USPAT	OR	ON	2005/06/23 14:08
S15	17	"370".clas. AND (schedul \$3 WITH priorit\$3 WITH voice WITH data)	US- PGPUB; USPAT	OR	ON	2005/06/23 14:20

S18	14	"370".clas. AND (priorit	US-	OR	ON	2005/06/23
		\$3 WITH voice WITH data WITH (divid\$3 OR fragment \$5 OR segment\$5))	PGPUB; USPAT			14:17
S19	138	"370".clas. AND (schedul \$3 SAME priorit\$ SAME voice SAME data)	US- PGPUB; USPAT	OR	ON	2005/06/23 14:21
S20	8	("5850526" "6006268" "6198735" "6300887" "6414950" "6512754" "6539004" "6608841"). PN. OR ("6845105").URPN.	US- PGPUB; USPAT; USOCR	OR	OFF	2005/06/23 15:11
S21	31	("5199027" "5276677" "5357508" "5379277"). PN. OR ("5600641").URPN.	US- PGPUB; USPAT; USOCR	OR	OFF	2005/06/23 15:17
\$23	108	"370".clas. AND ((voip) AND (voice SAME data SAME priorit\$) AND (data WITH (fragment\$5 OR divid\$ OR segment\$5)))	US- PGPUB; USPAT	OR	ON	2005/11/03 17:17
S25	202	"370".clas. AND (voip WITH (phone OR telephone) WITH voice WITH data)	US- PGPUB; USPAT	OR	ON	2005/11/03 17:37
S26	41	"370".clas. AND (voip WITH (phone OR telephone) WITH voice WITH data WITH device)	US- PGPUB; USPAT	OR	ON	2005/11/03 17:18
S28	303	"370".clas. AND ((vOIP) ADJ (phone OR telephone))	US- PGPUB; USPAT	OR	ON	2005/11/03 17:37
S29	194	"370".clas. AND (((voip ADJ phone) OR (voip ADJ telephone) OR (ip ADJ phone) OR (ip ADJ telephone)) WITH voice WITH data)	US- PGPUB; USPAT	OR	ON	2005/11/03 17:38
S35	552	"370".clas. AND 3COM.as.	US- PGPUB; USPAT	OR	OFF	2005/11/04 13:33
S36	22	"370".clas. AND 3COM.as. AND PDA	US- PGPUB; USPAT	OR	OFF	2005/11/04 13:39
S37	11	"370".clas. AND 3COM.as. AND (PDA AND voip)	US- PGPUB; USPAT	OR	OFF	2005/11/04 13:40
S38	O	"370".clas. AND 3COM.as. AND (PDA SAME voip)	US- PGPUB; USPAT	OR	OFF	2005/11/04 13:40
S40	55	"370".clas. AND (user WITH select\$3 WITH priorit \$ WITH level)	US- PGPUB; USPAT	OR	ON	2006/05/16 08:39
S41	10	user WITH select\$3 WITH priorit\$ WITH level WITH packets	US- PGPUB; USPAT	OR	ON	2006/05/16 08:39

S42	71	user WITH select\$3 WITH priorit\$ WITH packets	US- PGPUB; USPAT	OR	ON	2006/05/16 08:39
s43	21	user WITH select\$3 WITH priorit\$ WITH voice SAME data	US- PGPUB; USPAT	OR	ON	2006/05/16 08:40
S44	24	"370".clas. AND (user WITH (choos\$3 OR chos\$3) WITH priorit\$ WITH level)	US- PGPUB; USPAT	OR	ON	2006/05/16 08:16
S45	9	user WITH (choos\$3 OR chos \$3) WITH priorit\$ WITH level WITH packets	US- PGPUB; USPAT	OR	ON	2006/05/16 08:21
S46	15	user WITH (choos\$3 OR chos \$3) WITH priorit\$ WITH packets	US- PGPUB; USPAT	OR	ON	2006/05/16 08:23
S47	9	user WITH (choos\$3 OR chos \$3) WITH priorit\$ WITH voice SAME data	US- PGPUB; USPAT	OR	ON	2006/05/16 08:22
S48	27	"370".clas. AND (subscriber WITH (select \$3 OR choos\$3 OR chos\$3) WITH priorit\$ WITH level)	US- PGPUB; USPAT	OR	ON	2006/05/16 08:40
S49	11	subscriber WITH (select\$3 OR choos\$3 OR chos\$3) WITH priorit\$ WITH level WITH packets	US- PGPUB; USPAT	OR	ON	2006/05/16 08:45
S50	19	subscriber WITH (select\$3 OR choos\$3 OR chos\$3) WITH priorit\$ WITH packets	US- PGPUB; USPAT	OR	ON	2006/05/16 08:43
S51	8	subscriber WITH (select\$3 OR choos\$3 OR chos\$3) WITH priorit\$ WITH voice SAME data	US- PGPUB; USPAT	OR	ON	2007/10/11 18:25
S52	0	"7050445".pn.	US- PGPUB; USPAT	OR	ON	2006/05/16 09:45
\$53	56	("4803679" "5131020" "5157709" "5226071" "5343511" "5404355" "5457735" "5513242" "5521925" "5539729" "5539923" "5570411" "5574977" "5583869" "5615249" "5678179" "5694455" "5708968" "5729541" "5732073" "5742588" "5752193" "5742588" "5787080" "5787358" "5787080" "5787358" "5790522" "5812656" "5832384" "5857018" "5862485" "5867790" "5914945" "5926469" "5930239" "6009331" "6026289" "6069882" "6091709" "6101389" "6175621" "6192248" "6201966"	US- PGPUB; USPAT; USOCR	OR	OFF	2006/05/16 09:14

		"6226277" "6282429" "6321093" "6327364"				
		"6335922" "6377548" "6421335" "6434380" "6470024" "6519260" "6522653" "6549938" "6567416" "6587433"). PN. OR ("7046643").URPN.				
S56	68	"370".clas. AND ((fragment \$ OR segment\$) WITH packet WITH equal WITH size)	US- PGPUB; USPAT	OR	ON	2006/05/16 10:05
S58	3	"370".clas. AND ((fragment \$ OR segment\$) WITH packet WITH threshold WITH compar\$4)	US- PGPUB; USPAT	OR	ON	2006/05/16 10:06
 559	53	"370".clas. AND ((fragment \$ OR segment\$ OR divid\$) WITH packet WITH threshold WITH (size OR length))	US- PGPUB; USPAT	OR	ON	2006/05/16 09:57
S60	48	"370".clas. AND ((fragment \$ OR segment\$) WITH packet WITH equal WITH length)	US- PGPUB; USPAT	OR	ON	2006/05/16 10:07
S62	5	"370".clas. AND ((divid\$) WITH packet WITH threshold WITH compar\$4)	US- PGPUB; USPAT	OR	ON	2006/05/16 10:06
S63	35	(Ethernet WITH transceiver WITH voice WITH data)	US- PGPUB; USPAT	OR	ON	2007/05/08 15:11
S64	3	(selected ADJ data ADJ packets) WITH (higher ADJ priority)	US- PGPUB; USPAT	OR	ON	2007/05/08 15:19
S65	0	(selected ADJ data ADJ packets) WITH (higher ADJ priority) WITH voice	US- PGPUB; USPAT	OR	ON	2007/05/08 15:19
S66	1	(certain ADJ data ADJ packets) WITH (higher ADJ priority)	US- PGPUB; USPAT	OR	ON	2007/05/08 15:19
S67	O	(certain ADJ data ADJ packets) WITH (higher ADJ priority) WITH voice	US- PGPUB; USPAT	OR	ON	2007/05/08 15:19
S68	1	(certain ADJ data ADJ packets) SAME (priority) SAME voice	US- PGPUB; USPAT	OR	ON	2007/05/08 15:20
369	0	(selected ADJ data ADJ packets) SAME (priority) SAME voice	US- PGPUB; USPAT	OR	ON	2007/05/08 15:20
S71	0	(some ADJ data ADJ packets) SAME (priority) SAME voice	US- PGPUB; USPAT	OR	ON	2007/05/08 15:20
\$73	422	(data) WITH (higher ADJ priority) WITH voice	US- PGPUB; USPAT	OR	ON	2007/05/08 15:22

S74	4	(user OR subscriber) WITH (select\$3 OR choos\$3 OR chos\$3) WITH priorit\$ WITH voice SAME data WITH packet	US- PGPUB; USPAT	OR	ON	2007/10/11 18:26
\$75	3	(user OR subscriber) WITH (select\$3 OR choos\$3 OR chos\$3) WITH priorit\$ WITH voice WITH data WITH packet	US- PGPUB; USPAT	OR	ON	2007/10/11 18:28
S76	6	((user OR subscriber) WITH (select\$3 OR choos\$3 OR chos\$3) WITH priorit\$ WITH packet) SAME (voice WITH data)	US- PGPUB; USPAT	OR	ON	2007/10/11 18:30
S 77	52	((user OR subscriber) WITH (select\$3 OR choos\$3 OR chos\$3) WITH priorit\$ WITH packet) AND (voice WITH data)	US- PGPUB; USPAT	OR	ON	2007/10/11 18:30
S78	0	(assign\$5 ADJ2 different ADJ2 priority ADJ5 different ADJ2 devices)	US- PGPUB; USPAT	OR	ON	2008/06/03 15:02
S79	12	(different ADJ2 priority ADJ5 different ADJ2 devices)	US- PGPUB; USPAT	OR	ON	2008/06/03 15:02
S80	0	(different ADJ2 priority ADJ5 each ADJ2 devices)	US- PGPUB; USPAT	OR	ON	2008/06/03 15:04
S83	286	"370".clas. AND (different ADJ2 priority ADJ2 different)	US- PGPUB; USPAT	OR	ON	2008/06/03 15:05
S84	0	"370".clas. AND (different ADJ2 priority ADJ2 each)	US- PGPUB; USPAT	OR	ON	2008/06/03 15:26
S85	0	"370".clas. AND (different ADJ2 priority ADJ2 "each")	US- PGPUB; USPAT	OR	ON	2008/06/03 15:26
S86	0	(different ADJ2 priority ADJ2 "each")	US- PGPUB; USPAT	OR	ON	2008/06/03 15:26
S87	14	(different ADJ2 priority ADJ2 computer)	US- PGPUB; USPAT	OR	ON	2008/06/03 15:26
S88	69	(facsimile SAME priority SAME (high\$3 OR low\$3) SAME computer)	US- PGPUB; USPAT	OR	ON	2008/06/03 15:35
S89	39	(different WITH priority WITH facsimile)	US- PGPUB; USPAT	OR	ON	2008/06/03 15:41
590	0	video WITH data WITH priority WITH (different ADJ2 (devices OR computers))	US- PGPUB; USPAT	OR	ON	2008/06/03 16:56

S92	19	video SAME data SAME	US-	OR	ON	2008/06/03
		priority SAME (different ADJ2 (devices OR computers))	PGPUB; USPAT			16:56
S93	5	(segment\$5 OR fragment\$5 OR divid\$5) WITH (packet OR data) WITH (random\$5) WITH (unequal OR non- uniform)	US- PGPUB; USPAT	OR	ON	2008/06/03 17:47
S94	18	(segment\$5 OR fragment\$5) WITH (random\$5) WITH (unequal OR non-uniform)	US- PGPUB; USPAT	OR	ON	2008/06/03 17:49
S96	4	"370".clas. AND ((segment \$5 OR fragment\$5) SAME (random\$5) SAME (unequal OR non-uniform))	US- PGPUB; USPAT	OR	ON	2008/06/03 17:53
S97	31	(segment\$5 OR fragment\$5) WITH (random\$5) WITH (different ADJ size)	US- PGPUB; USPAT	OR	ON	2008/06/03 17:54
S98	1	"370".clas. AND ((segment \$5 OR fragment\$5) WITH (random\$5) WITH (different ADJ size))	US- PGPUB; USPAT	OR	ON	2008/06/03 17:55
S99	89	"370".clas. AND ((segment \$5 OR fragment\$5) WITH (different ADJ size))	US- PGPUB; USPAT	OR	ON	2008/06/03 17:55
S100	338	"370".clas. AND ((segment \$5 OR fragment\$5) WITH random)	US- PGPUB; USPAT	OR	ON	2008/06/03 18:02
S101	56	"370".clas. AND ((segment \$5 OR fragment\$5) WITH (different ADJ sizes!))	US- PGPUB; USPAT	OR	ON	2008/06/03 18:13
S102	47	"370".clas. AND ((segment \$5 OR fragment\$5) WITH (different ADJ length))	US- PGPUB; USPAT	OR	ON	2008/06/03 18:13
S103	32	"370".clas. AND ((segment \$5 OR fragment\$5) WITH (different ADJ lengths!))	US- PGPUB; USPAT	OR	ON	2008/06/03 18:13
S104	0	"370".clas. AND ((segment \$5 OR fragment\$5) WITH (arbitrar\$4) WITH (different ADJ size))	US- PGPUB; USPAT	OR	ON	2008/06/04 10:17
s105	0	(segment\$5 OR fragment\$5 OR divid\$5) WITH (packet OR data) WITH (arbitrar \$5) WITH (unequal OR non- uniform)	US- PGPUB; USPAT	OR	ON	2008/06/04 10:17
S106	23	(segment\$5 OR fragment\$5) WITH (arbitrar\$5) WITH (unequal OR non-uniform)	US- PGPUB; USPAT	OR	ON	2008/06/04 10:18
S108	0	"370".clas. AND ((segment \$5 OR fragment\$5) WITH (arbitrar\$4) WITH (different ADJ length))	US- PGPUB; USPAT	OR	ON	2008/06/04 10:18

S109	153	(through ADJ (phone OR	US-	OR	ON	2008/12/22
		telephone)) SAME priorit	PGPUB;			15:37
		\$6	USPAT			
S112	48	(computer) ADJ (connect\$3 OR interconnect\$3 OR attach\$8) ADJ (through ADJ (phone OR telephone))	US- PGPUB; USPAT	OR	ON	2008/12/23 10:16
S113	0	(computer) ADJ (connect\$3	US-	OR	ON	2008/12/23
5113	O	OR interconnect\$3 OR attach\$8) ADJ (through ADJ (VOIP OR VOPN) ADJ (phone OR telephone))	PGPUB; USPAT		OIV	10:32
S114	0	(computer) ADJ6 (through ADJ (VOIP OR VOPN) ADJ (phone OR telephone))	US- PGPUB; USPAT	OR	ON	2008/12/23 10:32
S116	9	(computer) ADJ (communicate) ADJ (through ADJ (phone OR telephone))	US- PGPUB; USPAT	OR	ON	2008/12/23 10:33
S118	161	(computer) ADJ (through ADJ (phone OR telephone))	US- PGPUB; USPAT	OR	ON	2008/12/23 10:34
S119	16	((computer) ADJ6 ((via OR through) ADJ (phone OR telephone))) SAME priorit \$8	US- PGPUB; USPAT	OR	ON	2008/12/23 10:41
S120	10	tonnby.in.	US- PGPUB; USPAT	OR	ON	2008/12/23 14:13
S121	12	(phone OR telephone) SAME demultiplex\$5 SAME (voice ADJ packet) SAME (data ADJ packet)	US- PGPUB; USPAT	OR	ON	2008/12/23 14:21
S123	263	(phone OR telephone) WITH demultiplex\$5 WITH voice WITH data	US- PGPUB; USPAT	OR	ON	2008/12/23 14:24
S125	224	((phone OR telephone) ADJ3 (demultiplex\$5 OR separat\$5)) WITH voice WITH data	US- PGPUB; USPAT	OR	ON	2008/12/23 14:34
5126	0	(((phone OR telephone) ADJ3 (demultiplex\$5 OR separat\$5)) WITH voice WITH data) SAME priorit\$8	US- PGPUB; USPAT	OR	ON	2008/12/23 14:45
\$128	1	(((phone OR telephone) ADJ8 (demultiplex\$5 OR separat\$5)) WITH voice WITH data) SAME priorit\$8	US- PGPUB; USPAT	OR	ON	2008/12/23 15:10
S131	254	((((phone OR telephone) ADJ8 (demultiplex\$5 OR separat\$5)) WITH (audio OR voice) WITH data)) AND (@ad<="20010501")	US- PGPUB; USPAT	OR	ON	2008/12/23 15:11

S133	{	US- PGPUB; USPAT	OR	2008/12/23 15:29
S134	ADJ8 (demultiplex\$5 OR	US- PGPUB; USPAT	OR	2008/12/23 15:35

6/5/09 11:17:52 AM

C:\Documents and Settings\CNg\My Documents\EAST\Workspaces\09846544.wsp